

**To:** Cirian, Mike[Cirian.Mike@epa.gov]; Michael Ritorto[mritorto@rouxinc.com]; John.Stroiazzo@glencore-ca.com[John.Stroiazzo@glencore-ca.com]  
**Cc:** Stoops, Thomas[TStoops@mt.gov]; lidewitt@mt.gov[lidewitt@mt.gov]  
**From:** Andrew Baris  
**Sent:** Mon 10/19/2015 3:03:49 PM  
**Subject:** RE: Columbia Falls - Phase I SAP Decision/Estimation Questions and Screening Values

Thank you Mike. We will use this information in our updating of the RI/FS Work Plan and SAP.

Regards,  
Drew

**Andrew Baris**  
**Vice President / Principal Hydrogeologist**  
**Roux Associates, Inc.**

209 Shafter St  
Islandia, NY 11749  
Direct 631-630-2404  
Fax 631-232-9898  
Mobile 631-921-1805

Website: <http://www.rouxinc.com>

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.



Please consider the environment before printing this e-mail.

---

**From:** Cirian, Mike [mailto:Cirian.Mike@epa.gov]  
**Sent:** Monday, October 19, 2015 10:19 AM  
**To:** Michael Ritorto; John.Stroiazzo@glencore-ca.com; Andrew Baris  
**Cc:** Stoops, Thomas; lidewitt@mt.gov  
**Subject:** FW: Columbia Falls - Phase I SAP Decision/Estimation Questions and Screening Values

Hello John,

Attached is the memo summarizing the recommended decision and estimation questions for the DQOs in the Phase I SAP provided by CDM-Smith. We have also included a comprehensive list of screening value sources that should be used as part of the Phase I screening. Please let me know if you have any questions.

Thanks,  
Mike

Mike Cirian, PE  
Libby On-site Project Manager  
US EPA  
108 East 9th Street  
Libby, MT 59923  
(406) 293-6194 Office